

PROJECT ADDRESS		EAST COMMERCE BUILDING E										 Rev0			
Date of submission		Please confirm scope inclusion													
Date of plans															
TOTAL BASE BID		\$ -													

BID ACCURATE															
SR. NO.	DWG. NO.	DETAIL NO.	CSI	DESCRIPTION	QTY.	WASTE	QTY. W/ WASTE	UNIT	LABOR COST	MATERIAL COST	TOTAL UNIT COST	TOTAL LABOR	TOTAL MATERIAL	TOTAL COST	SUB TOTAL
	01 00 00 GENERAL REQUIREMNTS														
1				Final clean up	1	0%	1	LS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Sub Total											\$ -
	03 00 00 CONCRETE														
		SLAB ON GRADE													
2	S1.0		131 CY	5" Thick Slab on Grade	7341	10%	8075	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
3				#4 @ 18" O.C E.W	8335	10%	9169	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
4				10MIL Vapour Barrier	7341	10%	8075	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
5				1" Sand	24	10%	27	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
6				4" Compacted Gravel Fill	92	10%	102	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
7	S1.0		33 CY	Concrete Pour Strip	1860	10%	2046	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
8				#4 @ 18" O.C	820	10%	902	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
9				10MIL Vapour Barrier	1860	10%	2046	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
10				1" Sand	6	10%	7	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
11				4" Compacted Gravel Fill	23	10%	26	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
12	S1.0			Thickened Edge	2	10%	2	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
13				#4 @ 18" O.C dowels	187	10%	205	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
		SUMP PIT													
14	S1.0		1 CY	Slab on Grade	68	10%	75	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
15				#4 @ 12" O.C EW T&B	176	10%	194	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
16				#4 @ 12" O.C dowels	55	10%	60	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
17	S1.0			8" Thick Sump Pit Wall	3	10%	4	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
18				#4 @ 18" O.C EW	109	10%	120	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
19				#4 @ 18" O.C dowels	55	10%	60	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
		PAD FOOTINGS													
	S1.0			Pad Footing 1 Length: 4'-0" Width: 4'-0" Depth: 1'-6" Count: 2											
20				Concrete	2	10%	2	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
21				6#5 Bars o.c EW	120	10%	132	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
22				Formwork	48	10%	53	SFCA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
23				Excavation	5	10%	5	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
24				Backfill	3	10%	3	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
	S1.0			Pad Footing 2 Length: 7'-0" Width: 7'-0" Depth: 1'-6" Count: 4											
25				Concrete	11	10%	12	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
26				9#5 Bars o.c EW	631	10%	694	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
27				Formwork	168	10%	185	SFCA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	

28				Excavation	24	10%	26	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
29				Backfill	13	10%	14	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
	S1.0			Pad Footing 3 Length: 10'-0" Width: 4'-0" Depth: 1'-6" Count: 14										
30				Concrete	31	10%	34	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
31				#6@12" o.c EW	2372	10%	2609	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
32				Formwork	588	10%	647	SFCA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
33				Excavation	71	10%	78	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
34				Backfill	40	10%	44	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
	S1.0			Pad Footing 4 Length: 8'-0" Width: 8'-0" Depth: 1'-6" Count: 4										
35				Concrete	14	10%	16	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
36				#6 @ 12" o.c EW Btm	260	10%	286	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
37				#5 @ 12" EW Top	180	10%	198	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
38				Formwork	192	10%	211	SFCA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
39				Excavation	30	10%	33	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
40				Backfill	16	10%	17	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
	S1.0			Pad Footing 5 Length: 10'-0" Width: 4'-0" Depth: 1'-6" Count: 4										
41				Concrete	9	10%	10	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
42				#6 @ 12" o.c EW Btm	159	10%	174	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
43				#5 @ 12" EW Top	125	10%	138	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
44				Formwork	672	10%	739	SFCA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
45				Excavation	20	10%	22	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
46				Backfill	11	10%	13	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				CONTINUOUS FOOTINGS										
	S1.0			Continuous Footing Length: 204'-0" Width: 1'-6" Depth: 2'-0"										
47				Concrete	23	10%	25	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
48				#4 Bars Top & Bottom	327	10%	360	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
49				#4 Dowels @ 18" o.c	549	10%	604	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
50				Formwork	816	10%	898	SFCA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
51				Excavation	38	10%	42	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
52				Backfill	15	10%	17	CY	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				COLUMNS										
53	S1.0			Column C1 - HSS6x6x5/16"	3268	0%	3268	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
54	S1.0			Column C2 - HSS5x5x1/4"	547	0%	547	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
55	S1.0			Column C3 - HSS4x4x1/4"	2564	0%	2564	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
56	S1.0			Base Plates	11	0%	11	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
57	S1.0			Anchor Bolts	44	0%	44	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				CONCRETE TILT PANELS										
58	S4.0			7 1/4" Reinforced Concrete tilt up exterior wall	9074	10%	9981	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

59	S4.0	A501		17 MIL Tex-Cote XL 70 Vinyl Acrylic Resin system	9074	10%	9981	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Sub Total											\$ -
				04 00 00 MASONRY											
				BRICK VENEER											
60	A201			1/2" Face brick - ENDICOTT MEDIUM IRONSPOT #77	3236	10%	3559	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Sub Total											\$ -
				05 00 00 METALS											
				METAL PAN STAIRS											
				STAIR 101											
61	A111-A112			3" Light weight concrete 12Ga. Metal Pan Landing	57	0%	57	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
62	A111-A112			12Ga. Metal pan Treads - 4'-6"Lx1'-0"W	22	0%	22	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
63	A111-A112			12Ga. Metal Riser - 4'-6"Lx0'-8"H	22	0%	22	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
64	A111-A112			Guardrail	68	0%	68	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
65	A111-A112			Handrail	57	0%	57	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
66	A111-A112			Stringer	49	0%	49	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				STAIR 101											
67	A111-A112			3" Light weight concrete 12Ga. Metal Pan Landing	35	0%	35	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
68	A111-A112			Metal pan Treads - 4'-6"Lx1'-0"W	22	0%	22	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
69	A111-A112			12Ga. Metal Riser - 4'-6"Lx0'-8"H	22	0%	22	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
70	A111-A112			Guardrail	32	0%	32	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
71	A111-A112			Handrail	45	0%	45	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
72	A111-A112			Stringer	43	0%	43	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
															\$ -
				METAL LATH											
73	A201			Metal lath @ Exterior	3236	10%	3559	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				METAL AWNING											
74	A201			Covered metal awning @ main entrance - 25'-0" Lx3'-10"W - 1/4x4" Alum. Plate Louvers @ 4" O.C - 1/8" Aluminum sheeting on top & bottom of aluminum frame	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
															\$ -
				ROOF ACCESS LADDER											
75	A131			Roof Access Steel Ladder w/ supports (16 LF)	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
															\$ -
				METAL DECK											
76	S2.0			4 1/2" Light weight concrete 20GA. metal deck w/ 6x6-W4.0x4.0 WWF	8984	10%	9882	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
															\$ -
				FLOOR FRAMING											
77	S2.0			32G 4N 38.5K - 32" Deep Girder Joist	139	10%	153	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
78	S2.0			32LHOWSJ (1073/650) - 32" Deep Open Web Steel Joist	930	10%	1023	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
79	S2.0			4x4x1/4" Cont Angle	2864	10%	3151	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
80	S2.0			2#4 Re Bars	138	10%	152	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
81	S2.0			W10x12	636	10%	700	LB	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	

[illegible]

[illegible]

				Approximate quantity of studs		51	EA.								
128	A111-A112			R-19 Batt Insulation	808	10%	888	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
129	A111-A112			Metal Lath	808	10%	888	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
130	A111-A112			2 Layers D 15# Building Paper	808	10%	888	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
131	A111-A112			6" (20 Gauge) Top & Bottom Track	135	10%	148	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
132	A111-A112			Sealants (Top & Bottom)	135	10%	148	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Wall Type 2											
133	A111-A112			5/8" Gypsum Wall Board	265	10%	291	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				4'x12' GB Sheet			7	Sheets							
				500' Tape Roll			1	Rolls							
				Joint Compound			2	Gallons							
				1-1/4" Drywall Screws			2	Pounds							
134	A111-A112			3 5/8" 20Ga. Metal Studs @ 16" O.C. (20 GA)	265	10%	291	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Approximate quantity of studs			11	EA.							
135	A111-A112			R-13 Batt Insulation	265	10%	291	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
136	A111-A112			3-5/8" (20 Gauge) Top & Bottom Track	26	10%	28	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
137	A111-A112			Sealants (Top & Bottom)	26	10%	28	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				INTERIOR DRYWALL											
138				Wall Type 3	475				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
139	A111-A112			5/8" Gypsum Wall Board on one side	475	10%	523	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				4'x12' GB Sheet			11	Sheets							
				500' Tape Roll			1	Rolls							
				Joint Compound			3	Gallons							
				1-1/4" Drywall Screws			3	Pounds							
140	A111-A112			3 5/8" 20Ga. Metal Studs @ 16" O.C. (20 GA)	475	10%	523	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Approximate quantity of studs			39	EA.							
141	A111-A112			R-13 Batt Insulation	475	10%	523	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
142	A111-A112			3-5/8" (20 Gauge) Top & Bottom Track	100	10%	110	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
143	A111-A112			Sealant at Bottom	50	10%	55	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
144				Wall Type 4	5093				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
145	A111-A112			5/8" Gypsum Wall Board on both side	10187	10%	11205	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				4'x12' GB Sheet			234	Sheets							
				500' Tape Roll			15	Rolls							
				Joint Compound			57	Gallons							
				1-1/4" Drywall Screws			59	Pounds							
146	A111-A112			3 5/8" 20Ga. Metal Studs @ 16" O.C. (20 GA)	5093	10%	5603	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Approximate quantity of studs			324	EA.							
147	A111-A112			R-11 Batt Insulation	5093	10%	5603	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
148	A111-A112			3-5/8" (20 Gauge) Top & Bottom Track	862	10%	948	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
149	A111-A112			Sealants (Top & Bottom)	862	10%	948	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
150				Wall Type 5	1684				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
151	A111-A112			5/8" Type X Gypsum Wall Board on both side	3368	10%	3705	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				4'x12' GB Sheet			78	Sheets							
				500' Tape Roll			5	Rolls							
				Joint Compound			19	Gallons							
				1-1/4" Drywall Screws			20	Pounds							
152	A111-A112			3 5/8" 20Ga. Metal Studs @ 16" O.C. (20 GA)	1684	10%	1853	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Approximate quantity of studs			65	EA.							
153	A111-A112			R-11 Batt Insulation	1684	10%	1853	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
154	A111-A112			3-5/8" (20 Gauge) Top & Bottom Track	169	10%	185	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
155	A111-A112			Sealants (Top & Bottom)	169	10%	185	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
156				Wall Type 7	60				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
157	A111-A112			5/8" Type X Gypsum Wall Board on both side	119	10%	131	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

				4'x12' GB Sheet			3	Sheets						
				500' Tape Roll			1	Rolls						
				Joint Compound			1	Gallons						
				1-1/4" Drywall Screws			1	Pounds						
158	A111-A112			6" 20Ga. Metal Studs @ 16" O.C. (20 GA)	60	10%	65	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Approximate quantity of studs			4	EA.						
159	A111-A112			R-11 Batt Insulation	60	10%	65	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
160	A111-A112			6" (20 Gauge) Top & Bottom Track	9	10%	9	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
161	A111-A112			Sealants (Top & Bottom)	9	10%	9	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
162				Wall Type 8	263				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
163	A111-A112			5/8" Type X Gypsum Wall Board on both side	526	10%	579	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				4'x12' GB Sheet			13	Sheets						
				500' Tape Roll			1	Rolls						
				Joint Compound			3	Gallons						
				1-1/4" Drywall Screws			4	Pounds						
164	A111-A112			8" 20Ga. Metal Studs @ 16" O.C. (20 GA)	263	10%	290	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Approximate quantity of studs			8	EA.						
165	A111-A112			R-11 Batt Insulation	263	10%	290	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
166	A111-A112			8" (20 Gauge) Top & Bottom Track	19	10%	21	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
167	A111-A112			Sealants (Top & Bottom)	19	10%	21	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
168				Wall Type 9	854				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
169	A111-A112			1" Proprietary Type C Gypsum Wall Board	854	10%	939	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
170	A111-A112			(2) Layers 1/2" Proprietary Type C Gypsum Wall Board	1708	10%	1879	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				4'x12' GB Sheet			40	Sheets						
				500' Tape Roll			3	Rolls						
				Joint Compound			10	Gallons						
				1-1/4" Drywall Screws			10	Pounds						
171	A111-A112			4" 20Ga. I Channel Metal Studs @ 16" O.C. (20 GA)	854	10%	939	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Approximate quantity of studs			47	EA.						
172	A111-A112			R-11 Batt Insulation	854	10%	939	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
173	A111-A112			4" (20 Gauge) Top & Bottom Track	122	10%	134	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
174	A111-A112			Sealants (Top)	61	10%	67	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
175				Wall Type 10	1137				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
176	A111-A112			5/8" Gypsum Wall Board on both side	2274	10%	2501	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				4'x12' GB Sheet			53	Sheets						
				500' Tape Roll			4	Rolls						
				Joint Compound			13	Gallons						
				1-1/4" Drywall Screws			14	Pounds						
177	A111-A112			6" 20Ga. Metal Studs @ 16" O.C. (20 GA)	1137	10%	1251	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Approximate quantity of studs			24	EA.						
178	A111-A112			R-11 Batt Insulation	1137	10%	1251	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
179	A111-A112			4" (20 Gauge) Top & Bottom Track	210	10%	231	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
180	A111-A112			Sealants (Top & Bottom)	62	10%	68	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Sub Total										\$ -
				CEILING										
				GYP SUM BOARD CEILING										
181	A121-A122			GWB Ceiling	594	10%	653	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
182	A121-A122			Rated GWB	1875	10%	2063	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				GYP SUM BOARD SOFFIT										
183	A121-A122			Gypsum Board Soffit	56	10%	61	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

[illegible]

		WALL COVERING															
201	A701			VW1 Mfr.: WOLF GORDON Style: CORK TEXTILE	928	10%	1,020	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
202	A701			VW2 Mfr.: WOLF GORDON Style: CHELSEA	456	10%	502	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
				Sub Total												\$	
		EXTERIOR FINISHES															
		SOFFIT															
203	A201			Stucco Soffit	399	10%	439	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
		EXTERIOR WALL FINISH															
204	A201			7/8" Thick 3 coat cement plaster finishing system	186	10%	204	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
		COATING															
205	A201	20/A501		Tex-Coated Acrylic Resin System Over Shaped Foam Cornice & back of concrete panel	262	10%	288	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
		EXTERIOR PAINT															
206	A201			Paint on Cement Plaster/Concrete	4663	10%	5129	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
207	A201			Paint on cornice	677	10%	745	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
208	A201			Paint on trim	258	10%	284	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
				Sub Total												\$ -	
		10 00 00 SPECIALITIES															
		BATH ACCESSORIES															
209	A111-A112	19/A401	11	Paper towel dispenser & trash receptacle - Bobrick Classic series	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
210	A111-A112	19/A401	12	Float glasss mirror	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
211	A111-A112	19/A401	14	Surface mounted Soap dispenser - Bobrick B-822	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
212	A111-A112	19/A401	4	Recessed Stainless Steel Toilet tissue dispenser - BOBRICK CLASSIC SERIES B-3474	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
213	A111-A112	19/A401	4A	Toilet tissue dispenser - Recessed wall mounted Stainless Steel - Bobrick Class Series B-3479	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
214	A111-A112	19/A401	5	Stainless steel tissue dispenser w/ sanitary napkin disposal - Bobrick Classic series B-3574	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
215	A111-A112	19/A401	5A	Double sided stainless steel toilet tissue dispenser w/ sanitary napkin disposal - Bobrick classic series B-357	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
216	A111-A112	19/A401	6	Toilet Partitions	73	0%	73	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
217	A111-A112	19/A401	7	Stainless steel Sanitary Napkin/Tampon Vendor - Bobrick Trimline Series B-3500	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
218	A111-A112	19/A401	8	1 1/2" Dia Stainless Steel Grab bar	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
		FIRE EXTINGUISHERS															
219	A111-A112			Fire Extinguisher Cabinet	5	0%	5	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		
		Knox Box															
220	A111-A112			Knox box	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -		

				SIGNAGES												
221	A111-A112			Restroom Signage	4	0%	4	EA.	\$	-	\$	-	\$	-	\$	-
222	A201			Exterior Address Signage - HALO ILLUMINATED 12" HELVETICA TEXT	1	0%	1	EA.	\$	-	\$	-	\$	-	\$	-
				Sub Total												\$ -
	12 00 00 FURNISHING															
				COUNTERTOP												
223	A701			Restroom Countertop	33	10%	36	SF	\$	-	\$	-	\$	-	\$	-
				SHELVING												
224	A111-A112	13/A802		Shelving @ storage alcove	11	10%	12	LF	\$	-	\$	-	\$	-	\$	-
				Sub Total												\$ -
	14 00 00 CONVEYING EQUIPMENTS															
225	A111-A112			Elevator	1	0%	1	EA.	\$	-	\$	-	\$	-	\$	-
				Sub Total												\$ -
	22 00 00 PLUMBING															
				PIPING												
				WATER LINES												
226	P-1.1 - P3			3" Cold water line - copper type K	5	10%	6	LF	\$	-	\$	-	\$	-	\$	-
227	P-1.1 - P3			1/2" Cold water line - copper type L	103	10%	113	LF	\$	-	\$	-	\$	-	\$	-
228	P-1.1 - P3			3/4" Cold water line - copper type L	233	10%	256	LF	\$	-	\$	-	\$	-	\$	-
229	P-1.1 - P3			1" Cold water line - copper type L	34	10%	37	LF	\$	-	\$	-	\$	-	\$	-
230	P-1.1 - P3			1-1/2" Cold water line - copper type L	185	10%	204	LF	\$	-	\$	-	\$	-	\$	-
231	P-1.1 - P3			2" Cold water line - copper type L	131	10%	144	LF	\$	-	\$	-	\$	-	\$	-
232	P-1.1 - P3			2-1/2" Cold water line - copper type L	68	10%	75	LF	\$	-	\$	-	\$	-	\$	-
233	P-1.1 - P3			3" Cold water line - copper type L	7	10%	8	LF	\$	-	\$	-	\$	-	\$	-
234	P-1.1 - P3			1/2" Hot Water Line - copper type L	58	10%	64	LF	\$	-	\$	-	\$	-	\$	-
235	P-1.1 - P3			3/4" Hot Water Line - copper type L	101	10%	111	LF	\$	-	\$	-	\$	-	\$	-
236	P-1.1 - P3			3/4" Hot Water Return Line - copper type L	63	10%	69	LF	\$	-	\$	-	\$	-	\$	-
237	P-1.1 - P3			1" Thick insulation for hot water & return lines	222	10%	244	LF	\$	-	\$	-	\$	-	\$	-
				SANITARY & VENT LINES												
238	P-1.1 - P3			1-1/2" Sanitary Line - Sch. 40 ABS	50	10%	55	LF	\$	-	\$	-	\$	-	\$	-
239	P-1.1 - P3			2" Sanitary Line - Sch. 40 ABS	65	10%	72	LF	\$	-	\$	-	\$	-	\$	-
240	P-1.1 - P3			3" Sanitary Line - Sch. 40 ABS	95	10%	105	LF	\$	-	\$	-	\$	-	\$	-
241	P-1.1 - P3			4" Sanitary Line - Sch. 40 ABS	163	10%	179	LF	\$	-	\$	-	\$	-	\$	-
242	P-1.1 - P3			1-1/2" Vent Line - Sch. 40 ABS	241	10%	265	LF	\$	-	\$	-	\$	-	\$	-
243	P-1.1 - P3			2" Vent Line - Sch. 40 ABS	116	10%	128	LF	\$	-	\$	-	\$	-	\$	-
244	P-1.1 - P3			3" Vent Line - Sch. 40 ABS	186	10%	205	LF	\$	-	\$	-	\$	-	\$	-
245	P-1.1 - P3			4" Vent Line - Sch. 40 ABS	26	10%	29	LF	\$	-	\$	-	\$	-	\$	-
				STORM LINES												
246	P-1.1 - P3			4" Storm Line - SVCI	264	10%	290	LF	\$	-	\$	-	\$	-	\$	-

				<u>GAS LINES</u>										
247	P-1.1 - P3			1" Gas Line - Sch. 40 Black Steel	64	10%	70	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>FIXTURES</u>										
				<u>WATER</u>										
248	P-1.1 - P3			1/2" Shutoff valve	12	0%	12	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
249	P-1.1 - P3			3/4" Shutoff valve	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
250	P-1.1 - P3			1" Shutoff valve	10	0%	10	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
251	P-1.1 - P3			1 1/2" Shutoff valve	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
252	P-1.1 - P3			3" Shutoff valve	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
253	P-1.1 - P3			1-1/2" Pipe cap	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
254	P-1.1 - P3			Point of connection for 3" water line	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
255	P-1.1 - P3			1/2" Trap primer	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
256	P-1.1 - P3			3/4" Hose Bib w/ Lockbox - Woodford 26	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
257	P-1.1 - P3			Expansion Tank - Amtrol EX-30, 4.4 Gal	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
258	P-1.1 - P3			CP-1: Circulation pump - Bell & Gossett LR-15B, 1/12HP	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
259	P-1.1 - P3			P-2: Booster Pump - Towle Whitney LLC TW1000-75G-40 FLAG FLAME, 3 HP	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
260	P-1.1 - P3			Water Heater WH-1 - RHEEM ELD30-TB, 30 Gal	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
261	P-1.1 - P3			1-1/2" RPZ	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
262	P-1.1 - P3		Install only	1-1/2" Water Meter	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>SANITARY</u>										
263	P-1.1 - P3			3" Sanitary Pipe cap	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
264	P-1.1 - P3			2" Wall Clean out - Zurn Z1446	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
265	P-1.1 - P3			4" Floor Cleanout - Zurn Z1400	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
266	P-1.1 - P3			2" Floor Drain - Zurn Z4158	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
267	P-1.1 - P3			Lavatory ADA - American Standard 4869.001	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
268	P-1.1 - P3			Mop Sink - Fiat MSB-2424	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
269	P-1.1 - P3			Urinal ADA - American Standard 6590.001	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
270	P-1.1 - P3			Drinking Fountain ADA - Elkay LZSTL&WSSP	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
271	P-1.1 - P3			Water Closet ADA - American Standard 3351.528	10	0%	10	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
272	P-1.1 - P3			Point of connection for 4" sanitary line	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>STORM</u>										
273	P-1.1 - P3			4" Roof Drain	6	0%	6	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
274	P-1.1 - P3			Downspout Nozzle	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
275	P-1.1 - P3			Point of connection for 4" storm line	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>GAS</u>										
276	P-1.1 - P3			1" Gas cock	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
277	P-1.1 - P3			House Gas Meter	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>MISCELLANEOUS</u>										
278				Allowance for misc. plumbing requirements	1	0%	1	LS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

			DUCTING												
279	M1.1-M2			22X10 Rectangular Duct - 26 Ga.	192	10%	211	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
280	M1.1-M2			29X14 Rectangular Duct - 26 Ga.	37	10%	40	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
281	M1.1-M2			36X13 Rectangular Duct - 26 Ga.	41	10%	45	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
282	M1.1-M2			Round Duct 4" - 28 Ga.	97	10%	107	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
283	M1.1-M2			Round Duct 6" - 28 Ga.	77	10%	85	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
284	M1.1-M2			Round Duct 8" - 28 Ga.	76	10%	83	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
285	M1.1-M2			Round Duct 10" - 28 Ga.	190	10%	209	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
286	M1.1-M2			Round Duct 12" - 28 Ga.	456	10%	501	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
287	M1.1-M2			Round Duct 14" - 28 Ga.	66	10%	73	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
288	M1.1-M2			Round Duct 16" - 26 Ga.	211	10%	232	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
289	M1.1-M2			Round Duct 18" - 26 Ga.	123	10%	135	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
290	M1.1-M2			Flexible Duct 6"	9	10%	10	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
291	M1.1-M2			Flexible Duct 10"	7	10%	8	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
292	M1.1-M2			Flexible Duct 12"	7	10%	8	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
293	M1.1-M2			Flexible Duct 14"	3	10%	3	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
294	M1.1-M2			Flexible Duct 16"	3	10%	3	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
295	M1.1-M2			Flexible Duct 18"	4	10%	4	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				INSULATION & LINING											
296	M1.1-M2		Assumed	2" thick fibrous glass insulation w/ factory applied jacket	1,564	10%	1,720	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				FIXTURES & EQUIPMENT											
				AIR CONDITIONING UNITS											
297	M1.1-M2			AC-9: Packaged Gas/Electrical Unit - CARRIER 48HCDD08, 7.5 Ton, 3000CFM - Provide w/ 14" Base roof curb, ultra low leakage economizer w/ modulating power, filtered rack	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				EXHAUST FAN											
298	M1.1-M2			EF-1: Ceiling Exhaust Fan - BROAN 670, 50CFM	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
299	M1.1-M2			EF-2: Roof Mounted Exhaust Fan - COOK - ACEB 120C2B, 600CFM	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				GRILLE/REGISTER & DIFFUSERS											
300	M1.1-M2			Diffuser CD-1 Mfr./Model: LIMA AL1444 Neck Size: 6" Face Size: 12x12	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
301	M1.1-M2			Diffuser CD-1 Mfr./Model: LIMA AL1444 Neck Size: 10" Face Size: 12x12	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
302	M1.1-M2			Diffuser CD-1 Mfr./Model: LIMA AL1444 Neck Size: 12" Face Size: 12x12	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
303	M1.1-M2			Diffuser CD-1 Mfr./Model: LIMA AL1444 Neck Size: 14" Face Size: 16x16	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
304	M1.1-M2			Diffuser CE-1 Mfr./Model: LIMA ALEC Neck Size: 8" Face Size: 12x12	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

305	M1.1-M2			Diffuser CE-1 Mfr./Model: LIMA ALEC Neck Size: 10" Face Size: 12x12	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
306	M1.1-M2			Diffuser CR-1 Mfr./Model: LIMA ALEC Neck Size: 16" Face Size: 22x22	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
307	M1.1-M2			Diffuser CR-1 Mfr./Model: LIMA ALEC Neck Size: 18" Face Size: 24x24	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				AIR CONDITIONING UNITS										
308	M1.1-M2			Fire Smoke Damper - AIRE TECHNOLOGIES SERIES 10	9	0%	9	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				MISC.										
309	M1.1-M2			Volume Damper for 6" Duct	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
310	M1.1-M2			Volume Damper for 8" Duct	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
311	M1.1-M2			Volume Damper for 10" Duct	5	0%	5	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
312	M1.1-M2			Volume Damper for 12" Duct	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
313	M1.1-M2			Volume Damper for 14" Duct	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
314	M1.1-M2			36X14 Plenum	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
315	M1.1-M2			Duct transitions	5	0%	5	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
316	M1.1-M2			Flexible connections	13	0%	13	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
317	M1.1-M2			Thermostat w/ lock box	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
318	M1.1-M2			4" Exhaust Vent Cap	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
319	M1.1-M2			12" Exhaust Vent Cap	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
320	M1.1-M2			Curb & Metal Caps for Future Roof Mounted HVAC Units	8	0%	8	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				MISCELLANEOUS										
321				Allowance for condensate piping & other msic. HVAC requirements	1	0%	1	LS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				Sub Total										\$ -
				26 00 00 ELECTRICAL										
				SITE ELECTRICAL										
322	E1			Point of connection to existing	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
323	E1			Conduit stub for EV parking space	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
324	E1			E-01 (4) #600 KCMIL CU in 4" Conduit	165	10%	182	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
325	E1			(2) #8 CU THWN & (2) #10 CU GND in 1" Conduit	21	10%	23	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				LIGHTING										
326	E3.1-E3.2			Junction box for signage	5	0%	5	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
327	E3.1-E3.2			3 Pole switch	7	0%	7	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
328	E3.1-E3.2			Dimmer switch	6	0%	6	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
329	E3.1-E3.2			Single pole switch	9	0%	9	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
330	E3.1-E3.2			A: 4' WRAPAROUND MFR./MODEL: EATON METALUX 4WNLED-LD4-32SL-F-UNV- L840-CD-1 WATTAGE: 28.8	5	0%	5	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
331	E3.1-E3.2			A1: 4' WRAPAROUND w/ EMERGENCY BACKUP MFR./MODEL: EATON METALUX 4WNLED-LD4-32SL-F-UNV- EL7W-L840-CD-1 WATTAGE: 28.8	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

332	E3.1-E3.2			B: 4' RECESSED COVE LIGHTING MFR./MODEL: MODA LIGHT MMCI-H-S-0-30H-4 WATTAGE: 37	8	0%	8	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
333	E3.1-E3.2			C: DOWNLIGHT MFR./MODEL: LITHONIA LDN4SQ-35-30-LS4-WR WATTAGE: 32.1	32	0%	32	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
334	E3.1-E3.2			C1: DOWNLIGHT w/ BATTERY MFR./MODEL: LITHONIA LDN4SQ-35-30-LS4-WR-E1OWCP WATTAGE: 32.1	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
335	E3.1-E3.2			D: 2'X2' FIXTURE MFR./MODEL: PINNACLE LF22-A-835HO-FL-U-W WATTAGE: 45.3	8	0%	8	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
336	E3.1-E3.2			D1: 2'X2' FIXTURE MFR./MODEL: PINNACLE LF22-A-835HO-FL-U-1 -1P-W WATTAGE: 45.3	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
337	E3.1-E3.2			E: VANITY MFR./MODEL: PINNACLE EX6B-A-0-830HO-830-48"-WA-U-S WATTAGE: 36.5	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
338	E3.1-E3.2			F: PENDANT MFR./MODEL: SONNEMAN SON421358 WATTAGE: 41	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
339	E3.1-E3.2			G: WALL SCONCE MFR./MODEL: ELAN ELN642675 WATTAGE: 17	7	0%	7	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
340	E3.1-E3.2			H: PICTURE LIGHT MFR./MODEL: PureEDGE KD-7WDC-4SQ-24IN-30K-SN WATTAGE: 15	7	0%	7	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
341	E3.1-E3.2			J: T RECESSED COVE LIGHTING MFR./MODEL: MODA LIGHT MMCI-H-S-0-30H-1 WATTAGE: 9.4	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
342	E3.1-E3.2			O1: OUTDOOR SCONCE MFR./MODEL: SCOTT ARCHITECTURAL S9315-L24-30K-BA WATTAGE: 24	23	0%	23	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
343	E3.1-E3.2			O2: OUTDOOR SCONCE MFR./MODEL: COOPER TGS2S402MSRB WATTAGE: 20.9	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
344	E3.1-E3.2			EX: EXIT SIGN MFR./MODEL: ISOLITE RLP-X-U-WH-UN	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
345	E3.1-E3.2			EMX: EMER/EXIT COMBO MFR./MODEL: ISOLITE CMB-EM-X-U-WH-MTEB-L1	17	0%	17	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				POWER										
346	E2.1-E4			(4) 2" Conduit	120	0%	120	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
347	E2.1-E4			1" Low Voltage conduit	400	0%	400	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
348	E2.1-E4			30A, 120V Outlet for pump	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
349	E2.1-E4			Convenience receptacle (Weather Proof)	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
350	E2.1-E4			Data/Telephone outlet combo	8	0%	8	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
351	E2.1-E4			Duplex receptacle	19	0%	19	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
352	E2.1-E4			Duplex receptacle GFI	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
353	E2.1-E4			Quad. Receptacle	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
354	E2.1-E4			Disconnect Switch 1P, 30/15	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
355	E2.1-E4			Disconnect Switch 2P, 30/20	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
356	E2.1-E4			Disconnect Switch 3P, 200/125	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
357	E2.1-E4			Disconnect Switch 3P, 30/15	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
358	E2.1-E4			Disconnect Switch 3P, 30/20	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
359	E2.1-E4			Disconnect Switch 3P, 60/50	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
360	E2.1-E4			Junction box	16	0%	16	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

[illegible]

391	A-011			Precast Concrete sphere bollards - QCP-CORP. #QR-19B	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>MISC.</u>										
392	A-011			Stub for future EV	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
393	A-011	4/G003		Tactile warning surface (size varies)	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
394	A-011			Precast Wheel stop	4	0%	4	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>LANDSCAPE</u>										
				<u>PLANTER</u>										
395	L3			Precast Landscape planter Pot - QCP CORP. #QR-CAL6018P	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>TREES</u>										
396	L3			Lagerstroemia Indica Size: 20' Dia. Tree Area: 157 SF	1	0%	1	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
397	L3			Pistachia Chinensis Size: 30' Dia. Tree Area: 887 SF for 2 Ea.	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
				<u>PLANTS</u>										
398	L3			CEDRUS DEODARA/DEODAR CEDAR Size: 15 Gal.	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
399	L3			LAGERSTROEMIA X. 'MUSKOGEE'/CRAPE MYRTLE (STANDARD) Size: 15 Gal.	6	0%	6	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
400	L3			PISTACIA CHINENSIS/CHINESE PISTACHE Size: 15 Gal.	3	0%	3	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
401	L3			ALB - ALOE X. 'BLUE ELF'/BLUE ELF ALOE Size: 1 Gal.	10	0%	10	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
402	L3			CTL - COTONEASTER D. "LOWFAST"/PROSTRATE COTONEASTER Size: 1 Gal.	133	0%	133	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
403	L3			DIB - DIETES BICOLOR Size: 5 Gal.	129	0%	129	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
404	L3			HMS -HEMEROCALLIS X. "STELLA D'ORO"/DAYLILY Size: 1 Gal.	50	0%	50	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
405	L3			JNS - JUNIPERUS C. "SEA GREEN"/JUNIPER Size: 5 Gal.	54	0%	54	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
406	L3			LMP - LIMONIUM PEREZII/SEA LAVENDER Size: 5 Gal.	2	0%	2	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
407	L3			NEP - NERIUM O. "PETITE SALMON"/COMPACT PINK OLEANDER Size: 5 Gal.	22	0%	22	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
408	L3			NNG - NANDINA DOMESTICA 'GULF STREAM'/DWF. HEAVENLY BAMBOO Size: 5 Gal.	108	0%	108	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
409	L3			TRA - TRACHELOSPERMUM ASIATICUM/ASIAN JASMINE Size: 1 Gal.	44	0%	44	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
410	L3			TUV - TULBAGHIA VIOLACEA/SOCIETY GARLIC Size: 1 Gal.	44	0%	44	EA.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

[illegible]